



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b>  <b>C07H 21/00</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 99/20640</b>  <b>(43) International Publication Date:</b> 29 April 1999 (29.04.99)
<b>(21) International Application Number:</b> PCT/CA98/00969  <b>(22) International Filing Date:</b> 16 October 1998 (16.10.98)  <b>(30) Priority Data:</b> 08/951,448      16 October 1997 (16.10.97)      US  <b>(71) Applicant:</b> SENSORCHEM INTERNATIONAL CORPORA- TION [CA/CA]; Suite 4400, 40 King Street West, Toronto, Ontario M5H 3Y4 (CA).  <b>(72) Inventors:</b> THOMPSON, Michael; 182 Moore Avenue, Toronto, Ontario M4T 1V8 (CA). McGOVERN, Mark, E.; 25 Clearside Place, Etobicoke, Ontario M9R 2G7 (CA).  <b>(74) Agents:</b> HIRONS, Robert, G. et al.; Ridout & Maybee, 18th floor, 150 Metcalfe Street, Ottawa, Ontario K2P 1P1 (CA).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished          upon receipt of that report.</i>
<b>(54) Title:</b> HIGH SURFACE DENSITY COVALENT IMMOBILIZATION OF OLIGONUCLEOTIDE MONOLAYERS  <b>(57) Abstract</b>  <p>Oligonucleotides and other biomolecules are immobilized in high density on solid substrates through covalent forces using either a permanent thioether bond, or a chemoselectively reversible disulfide bond to a surface thiol. Substrates which have hydroxyl groups on their surfaces can be first silanized with a trichlorosilane containing 2–20 carbon atoms in its hydrocarbon backbone, terminating in a protected thiol group. The oligonucleotides or other biomolecules are first connected to a tether consisting of a hydrocarbon or polyether chain of 2–20 units in length which terminates in a thiol group. This thiol may be further modified with a halobenzylic–bifunctional water soluble reagent which allows the conjugate to be immobilized onto the surface thiol group by a permanent thioether bond. Alternatively, the oligonucleotide–tether–thiol group can be converted to a pyridyldisulfide functionality which attaches to the surface thiol by a chemoselectively reversible disulfide bond. The permanently bound oligonucleotides are immobilized in high density compared to other types of thiol functionalized silane surface and to the avidin–biotin method.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## High Surface Density Covalent Immobilization of Oligonucleotide Monolayers

### Field Of The Invention

5

This invention relates to the preparation of covalently immobilized nucleic acids onto solid supports using a novel trichlorosilane adhesion agent which forms a monolayer film and provides a reactive thiol functionality to which oligonucleotides can be attached in very high density. The oligonucleotides can be modified using novel linking agents which allow nucleic acids to be attached to the silanized surface either permanently or reversibly using a chemoselective method in buffered aqueous solution at room temperature. A protocol to create highly reproducible silane monolayers by moisture and humidity control is described. Included in the invention are processes for the synthesis of the silane, synthesis of novel bifunctional linkers for nucleic acid modification, and immobilization protocols.

20

### Background Of The Invention: General Scope

Medical diagnosis and treatment of diseases at the genetic level is quickly becoming a reality. Drug design strategies will increasingly depend on developing new methods for regulating gene expression. Early detection of infectious viral diseases and genetic mutations using fast, reliable diagnostic techniques combined with gene-therapy strategies create the possibility of effecting a cure before symptoms of the disease appear. New technologies based on gene isolation and purification, synthesis, amplification, and detection are required to meet these challenges. These emerging technologies require improved methods for oligonucleotide

25

30

immobilization in several key fields including: nucleic acid separation/purification; nucleic acid amplification (solid-phase PCR); oligonucleotide synthesis; isolation of nucleic acid binding proteins and drugs; and detection of  
5 oligonucleotides through hybridization; and sequencing.

#### Amplification of Oligonucleotides by Solid Phase PCR

10 The polymerase chain reaction (PCR) is a rapid procedure for producing many copies of a specific segment of DNA *in vitro*. This technique has now made possible many applications such as molecular genetic research, gene sequencing, forensic/ criminal and clinical investigations  
15 and many others in which only a minuscule quantity of DNA is available. PCR was originally developed for the solution phase and requires four essential ingredients; *Taq* DNA polymerase which is the enzyme responsible for building the new DNA copies, the original DNA strand to be amplified, the  
20 four triphosphate bases, and finally, the priming sequences from which the new DNA copies will grow. A much improved method is to attach the priming sequences to a solid support which allows the amplified DNA to be chemoselectively removed after the reaction is completed.

25

#### Oligonucleotide Synthesis Via Solid Phase Methods

Short fragments of single-stranded DNA or RNA of any desired sequence can be rapidly synthesized using an  
30 automated DNA synthesizer which is now commonplace in many laboratories. Oligonucleotides are made by the sequential addition of activated monomers to a growing chain that is linked to an insoluble solid support. The solid-phase

synthetic method has the following advantages: reaction yields can be near-quantitative by using excess reagents which can then be easily removed by filtration processes; the repetitive synthesis is readily automated; handling is minimized thereby decreasing the risk of contamination; and wastage of expensive reagents is also minimized. Functionalized polystyrene beads or carboxyl-derivatized controlled-pore-glass are commonly used as supports, with the powdered material being sealed into a tube which has porous frits at both ends. Usually, the first nucleotide is attached to the solid support via a carboxylic ester link to the 3' hydroxyl, and synthesis is carried out in the 3'-5' direction. A high ratio of oligonucleotide to surface area is required to optimally perform the synthesis to prevent wastage of reagents. It is advantageous to attach special tethering groups to one of the chain ends to act as a chemical "handle" so the single-stranded nucleic acid can be attached to other solid surfaces such as affinity columns or biosensor devices. It should be mentioned that solid phase synthesis and the immobilization technology to which it is dependant, can be applied to the synthesis of other types of polymers as well including peptides, proteins, and combinatorial synthesis of diverse arrays of any class of molecule.

25

**Separation, Isolation and Purification of  
Oligonucleic Acids, Oligonucleotide-Other Molecule Complexes  
and Other Biomolecules**

30

Biomolecules in general can be purified by electrophoretic, chromatographic, filtration or by affinity techniques. Electrophoresis is widely used to separate nucleic acid fragments in a gel matrix. The fragments are

usually transferred or "blotted" onto a membrane which has an affinity for the nucleic acids so that further processing can be accomplished. Reverse-Phase Liquid Chromatography (RPLC) has been used to separate mixtures of nucleic acids, proteins and other biomolecules on coated solid supports. Microfiltration is used to remove impurities from biomolecule preparations.

Improved separations can be achieved by immobilizing various sequences of nucleic acids onto the stationary media to produce an "affinity" hybrid technique. Single-stranded nucleic acids can be immobilized onto a solid support, to which the complementary strand can specifically hybridize; such a technique is referred to as hybridization. Impurities are washed away, while the complementary strand remains affixed, and elution selectively occurs when variables such as buffer strength are changed. In such a manner, improved electrophoresis membranes for "Northern blots", nucleic acid chromatographic supports, and nucleic acid binding filtration media can be made.

Molecules other than nucleic acids can specifically recognize immobilized nucleic acids. Research to discover new treatments for genetic diseases requires the development of novel methods for investigating the interactions of genes with regulatory proteins. Gene transcription, replication and repair are mediated by many DNA or RNA binding proteins. Drugs such as cis-diaminedichloroplatinum (II) known as "cisplatin" which has antitumor activity for the treatment of ovarian, bladder and testicular cancer, anthracycline antibiotics and polycyclic aromatic compounds can intercalate into DNA structures. Antisense drug therapy innovations are directed at strongly binding a complementary segment of

nucleic acid material to the target gene in a highly selective fashion. Similar to nucleic acid purification through immobilized hybridization as mentioned earlier, proteins, drugs and any type of nucleic acid binding molecule  
5 can be purified through selective interactions with immobilized oligonucleotides. In all cases, a high density of immobilized oligonucleotides will result in increased efficiency, together with minimization of waste production.

10                    **Detection of Oligonucleotides, Antisense Compounds  
and Small Molecules**

Detection of oligonucleotides for diagnostic assays through hybridization and sequencing is also dependant on  
15 high density surface immobilization of oligonucleotides. Determining genetic sequences is a well established field. Standard techniques such as electrophoretic separation of partially digested nucleic acid fragments are generally too slow for clinical work. A different approach is sequencing by  
20 hybridization or SBH in which a library of short oligonucleotide probes, labelled in some way, and of known sequence, are presented to unknown DNA. When complementary sequences are found, a process known as hybridization occurs which allows for signalling the presence of a particular  
25 sequence in the gene. New techniques such as micromachined capillary electrophoresis arrays require high density immobilization techniques, as each channel possesses a very minute surface area.

30                    Immobilized nucleic acid probes on sensor surfaces can provide much faster analyses at a fraction of the cost. Such is the basis for a "gene chip" in which vast arrays of different genetic probes, approximately 10-30 bases in length

are immobilized onto a silicon wafer similar to those used in computer chip manufacture. The parallel revolution in microelectronics, combined with advances in automated nucleic acid synthesis has generated the development of new biosensor devices for the analysis of gene sequences and drug discovery schemes. A biosensor is a device which transforms biological information into electronic form which can then be readily interfaced with computer technology. Most biosensors consist of a platform, usually a solid surface, to which the biologically active probe molecules are attached. Biomolecules such as DNA are extremely selective, and can efficiently bind to a specific target molecule in a solution containing many other species. The probe-target interaction is then observed by a mechanism (optical, electrochemical or piezoelectric) which can transduce chemical information to electronic data. All of these techniques can deliver information in real-time, which is a benefit that the standard techniques do not possess.

In all cases, the nucleic acid probe must be immobilized to the surface in some way so that the biosensor can be continuously reused in a flow injection analysis (FIA) format. The nucleic acid probes must be immobilized in the correct concentration, under mild conditions, rapidly, among many other considerations. The biosensor surface can be tailored so that more than one type of nucleic acid is attached to its surface. The use of photoprotective schemes has been reported as being capable of producing patterned surfaces.

#### Immobilization Methodology

Numerous techniques have been developed for the



immobilization of enzymes and antibodies (Mosbach (ed.),  
Methods in Enzymology, Vol. 137, 1988) and many of the  
techniques used to immobilize proteins can also be adapted  
for nucleic acids (Dunlap, Advances in Experimental Medicine  
5 and Biology). Adsorption is the simplest method to attach  
nucleic acids to surfaces, since no reagents or special  
nucleic modifications are required. Non-covalent forces affix  
the nucleic acid to such materials as nitrocellulose, nylon  
membranes (Brent et. al., Current Protocols in Molecular  
10 Biology, 1993) , polystyrene or metal oxide surfaces such as  
palladium or aluminum oxide. The main disadvantages of this  
method are that the nucleic acid may be readily desorbed from  
the substrate by hybridization conditions, and the base  
moieties may be unavailable for hybridization if they are  
15 bonded to the substrate. Crosslinking or entrapment (Licache  
et. al., Nucleic Acids Res., 1994, 22, 2915) in polymeric  
films has been used to create a more permanent nucleic acid  
surface. The nucleic acid can be crosslinked by exposure to  
U.V. light (pyrimidine-pyrimidine dimer), or vinyl-  
20 substituted nucleotides have been made which can polymerize  
(Pitha, Polymer, 1977, 18, 425). The nucleic acid can be  
embedded in an amino-containing dextran matrix (Johnsson et.  
al., Anal. Biochem., 1991, 198, 268) or aminoethylcellulose  
crosslinked with gluteraldehyde, silica, or in  
25 polyacrylamide.

Avidin/streptavidin-biotin complexation has found  
considerable application in the nucleic acid biosensor field  
(Ebersole et. al., J. of the Amer. Chem .Soc., 1990, 112,  
30 3239). Avidin and streptavidin are large proteins (70 kD)  
which each contain 4 biotin binding sites. Biotin is a small  
molecule which attaches with very high affinity to the  
binding site ( $K_d = 10^{-15}$  M), and can only be removed under the

most extreme conditions. The avidin is first adsorbed onto the substrate, and is then exposed to an aqueous solution of biotinylated nucleic acid. The inherent aqueous stability of avidin and biotin makes the system easy to handle, however, the presence of the large protein layer may present non-specific binding sites and compromise the sensitivity and selectivity of certain types of sensors.

Alternatively, the nucleic acid can be constructed with a thiol linker which can be used to directly complex to gold surfaces (Ito, et. al., Anal. Chim. Acta., 1996, 327, 29). It is desired to fashion assemblies similar to the long-chain self-assembled monolayers of alkanethiols which have been described in the literature (Van Ness et. al., Nucleic Acids Res., 1991, 19, 3345). The thiol-nucleic acid probably cannot produce a close-packed surface due to the large hydrophilic nucleic acid group, and therefore its stability is questionable.

It is most desirable to attach the nucleic acid covalently to the surface by a linker attached to one of the ends of the nucleic acid chain. By doing so, the nucleic acid probe is quite free to change its conformation so hybridization can take place, yet cannot be displaced from the sensor. Much work has centered in this area, with early attempts being based on attaching the 3' hydroxyl or phosphate group to carboxyl residues on various celluloses using carbodiimide derivatives (Schott, Affinity Chromatography: Template Chromatography of Nucleic Acids and Proteins, 1984). Cyanuric chloride (Biagione et. al., Anal. Biochem., 1978, 89, 616) has been used to react oligonucleotides to a variety of materials. Cyanogen bromide (Scowten, Affinity Chromatography: Bioselective Adsorption of

Inert Matrices, 1986) has been used to link one or more exocyclic amine residues to agarose via isourea ether groups. Carboxylic acid and aldehyde modified nucleic acids have been attached to latex spheres via hydrazide or Schiff-base type linkages (Kremsky et. al., Nucleic Acids Res., 1987, 15, 2891).

Since many biosensor surfaces consist of silica or metal oxide, the sensor must be first modified with some type of adhesion agent (EP Application No. 96-303245). Organosilanes such as aminopropyltriethoxysilane (APTES) (Wu, et. Al., Chinese J. Microbiol. Immunol., 1990, 23, 147). 3-mercaptopropyltriethoxysilane (MPS) (Bhatia et. Al., Anal. Biochem. 1989, 178, 408) and glycidoxypyltriethoxysilane (GOPS) (Maskos et. Al., Nucleic Acids Res., 1992, 20, 1679) have been used to created functionalized surfaces on glasses, silicas, optical fibers, silicon, and metal electrodes to name a few. The silanes hydrolyse onto the surface to form a robust siloxane bond with surface silanols, and also crosslink themselves to further increase adhesion. In the case of APTES, succinnic anhydride is often used to change the amino functionality to carboxylic acid which is then attached to an amino-linked nucleic acid via carbodiimide coupling. MPS can be used to form disulfide linkages with thiol-containing biomolecules. GOPS has been used in schemes using long polyether chains to provide greater distance and flexibility between the surface and the nucleic acid probe.

Alkyl silanes have been extensively used to immobilize a wide variety of biomolecules to surfaces. The alkoxy or chloro leaving groups are particularly reactive towards hydroxyl groups found on glass, quartz, silicon and metal oxide surfaces. The surface hydroxyl group attacks the

silicon in an Sn2 reaction, and the new  $\text{Si}_{(\text{surface})}-\text{O}-\text{Si}_{(\text{silane})}$  bond is a siloxane bond. Monoalkoxy or monochloro silanes can only form one siloxane bond to the surface, and therefore, the degree of surface coverage by the silane is limited by the number of available surface hydroxyl groups, which in the best of cases (glass) is no more than about 4 hydroxyls per  $\text{nm}^2$ . Di or tri alkoxy or chloro silanes are capable of forming more than one siloxane bond. The quantity of surface hydroxyl groups per unit area is generally too low for the silane to form more than one siloxane bond to the surface. Instead, the silanes can crosslink together to form two dimensional or multilayer networks on the surface, and therefore bridge the gap between surface hydroxyls and increase the degree of surface coverage.

This intersilane crosslinking requires a stoichiometric quantity of water for the polymerization to occur, and can be carried in the solvent used for the silanization reaction, or can be supplied by water which is adsorbed to the substrate surface. The actual mechanism of silanization depends on the conditions used. In solution, the commonly accepted mechanism is a three-step process, the first step being the hydrolysis of the chloro moieties of a silane such as Octadecyltrichlorosilane (OTS) at the hydroxylic substrate surface to generate a silanetriol, which then physisorbs onto the substrate via hydrogen bonding and ultimately forms both  $\text{Si}_{\text{substrate}}-\text{O}-\text{Si}_{\text{silane}}$  and  $\text{Si}_{\text{silane}}-\text{O}-\text{Si}_{\text{silane}}$  cross-linking type of covalent bonds (Sagiv, J. of the Amer. Chem. Soc., 1980, 102, 92). However, it has been shown that hydrolysis of the chloro entities of OTS occurs in the bulk solution phase instead of at the substrate surface as envisaged earlier (Angst, et. al., Langmuir, 1991, 7, 2236).

The degree of surface coverage depends on several variables such as reaction time, temperature, degree of hydration of the substrates, nature of the solvent, the cleaning procedure utilized prior to silanization of substrates and the nature/morphology of the oxide layer on the substrate. Silberzan et al. (Langmuir, 1991, 7, 1647) as well as Angst and Simmons (Angst, et. al., Langmuir, 1991, 7, 2236) obtained a tightly-packed monolayer of OTS on a fully hydrated oxidized silicon wafer surface, while with a dry silicon wafer a lower surface coverage resulted. Tripp and Hair (Langmuir, 1992, 8, 1120), through an IR spectroscopic study, showed that no direct reaction occurs between OTS and either the silica surface hydroxyl groups or even the first water layer bound to the fumed silica surface. Despite the growing body of evidence concerning the importance of surface-moisture, there is not yet a standard protocol that can be used to increase reproducibility of the silane films. Certainly, controlling the amount of moisture bound to the surface would be a step in the right direction.

20

Alkoxysilane 3-mercaptopropyltrimethoxysilane (MPS) has been extensively used as an immobilization agent, however, there are several problems with this reagent. Caldwell (Yee et. al., Langmuir 1991, 7, 307) showed that a silver stained MPS surface appeared rough when examined by scanning electron microscopy (SEM), and the MPS surface consisted of submicrometer size particles. They acknowledged that the MPS silane produced a multilayered structure. The group of Sligar and Bohn (Hong, et. al., Langmuir, 1994, 10, 153) found that both a 17% MPS film (diluted with n-propyltrimethoxysilane) and a 100% MPS film have similar abilities to load cytochrome b<sub>5</sub> at a 30% loading level. They performed a free-thiol assay using Ellman's reagent and

25

30

- 12 -

discovered that the quantity of unreacted thiol groups after exposure to cytochrome  $b_5$  on the surfaces is nearly identical to the quantity of unreacted thiol groups before exposure to the cytochrome. The authors concluded that most of the cytochrome was non-specifically adsorbing to the MPS film, but did not hypothesize which functionality the protein was adsorbing to. In all likelihood, the cytochrome was physisorbing to the exposed silanol-containing backbone of the disordered MPS multilayer, or to exposed patches of glass not covered by MPS. They also acknowledged that MPS produces multilayer structures, and found that the masses of MPS can be hydrolytically removed from the surface.

Alkoxy silanes are predisposed to form disordered multilayered films. This effect is compounded when the alkoxy silane contains a short alkyl chain which reduces the silane's ability to self-assemble into highly ordered films. The difficulties are increased if little attention is given to controlling the moisture content of the substrate and solvent involved in the silanization process. Under these unsuitable conditions, the alkoxy silane will tend to polymerize in solution, possibly forming large aggregates, which then migrate to the substrate surface and then polymerize onto it. Other aggregates pile up on top of each other in an uneven manner until a film many times thicker than the length of one monomer builds up. Although this coating may still be usable for immobilization purposes, it is not efficient. Much of the functionalized end of the silane is not projected normal to the substrate towards the bulk solution, but instead is oriented in every conceivable direction including parallel against the substrate surface. Clearly, this represents a severe steric barrier, and that fraction of the surface is not available for nucleic acid

immobilization, although small probes such as the silver ion may be able to penetrate inside the pores. The pores may trap potential interferant molecules which may complicate biosensor data interpretation.

5

Trichlorosilanes are much more reactive than trialkoxysilanes, and appear to form the densest films. If the alkyl group is from 8-18 carbons in length, the self-assembly process will cause the silanes to form a  
10 "monolayer"-like coating in which the alkyl chains are packed together to nearly the same density as crystalline polyethylene. The amount of surface area (Montgomery, et. al., Anal. Chem., 1992, 64, 1170) each alkyl chain occupies is about  $20\text{\AA}^2$ .

15

Bifunctional trichlorosilanes have been made so that other molecules can be later attached to the silanized surface. 1-Thioacetato-16-(trichlorosilyl)-hexadecane or related analogues have been described as a potential linking  
20 agent for biomolecules (Balachander, et. al., Langmuir, 1990, 6, 1621). In contrast, the short chain alkoxy silanes such as APTES, MPS, and GOPS which have been used to link nucleic acids to surfaces, usually consist of a 3-carbon tether, and tend to form disordered multilayer structures. It is possible  
25 to dilute the active silane monomer with a monomer which does not contain the linking group. For example, a simple methyl-terminated "diluent" monomer could be used to effectively "space-out" the active silane monomers that deposit on the surface.

30

There are many benefits that can be gained by using trichlorosilane linkers for biomolecule immobilization schemes. The avidin protein has a highly polar exterior, with

many carboxylic acid and amine residues exposed. These could serve as potential binding sites for the nucleic acid probe or target molecules, or could adsorb contaminating materials such as other proteins from the solution, all of which could be detrimental to the operation of the sensor. Methyl terminated diluent silanes provide a hydrophobic alternative to polar materials which may attract unwanted contaminants. Other diluents could be used to provide other functionalities to the surface, for example, the diluent could contain alcohol groups to increase hydrophilicity, and the surface properties could be readily controlled. The number of carbons in the diluent could also be varied to control the steric environment around the active silane's functional moiety. Most importantly, the active silane could be synthesized to have a wide variety of functional groups for immobilization.

The tether group is required to supply the oligonucleotide with a reactive functionality so it can be chemically manipulated, and also allows the oligonucleotide to extend any specified distance away from the surface (French Patent Application No. 94-12972). Thiol-tethered oligonucleotides have been immobilized onto bromoacetyl-derivatized polyacrylamide supports (U.S. Pat. No. 5,478,893).

It is desirable to be able to create both permanent and reversible linkages between the nucleic acid and the surface. One patent (U.K. Patent Application No. 89-21605) describes a phosphorus-sulfur bond placed in the backbone of an immobilized oligonucleotide which was cleaved by silver nitrate. Sulfur can also be used in a completely different way in the form of the thiol group, which can form two main types of linkages: disulfide and thioether. The reversible



disulfide bond can be created using the specific reaction known as thiol-disulfide interchange, in which a thiol containing molecule reacts with a disulfide-containing molecule, so that one of the ligands from the disulfide is transferred to the original thiol group to form a new disulfide. The disulfide can be part of a bifunctional coupling agent (U.S. Pat. No. 5399501). The disulfide can be cleaved specifically under very mild conditions with a variety of reagents such as dithiothreitol (DTT) for example, which will regenerate the free thiol. A permanent thioether bond can be created from a thiol and a variety of reagents which contain reactive leaving groups. Thiol surfaces have been used for covalently bonding biologically active compounds (U.S. Pat. No. 4886755). Halobenzylic compounds readily undergo reaction with thiols, and the resulting thioether bond is very resistant to cleavage.

Solid supports carrying nucleic acids, enzymes, peptides and other biomolecules for the purposes set out herein should have a high surface density of attached groups. This is desirable so that the device can operate at maximum sensitivity in detecting and binding affinity biomolecules to be selectively bound and removed for analysis. It is also desirable to allow devices of small physical size to be prepared for analysis of very small quantities of test reagents.

#### SUMMARY OF THE INVENTION

The present invention provides coated supports having a very high surface density of monolayer groups attached to a substrate, and a process for preparing such supports. The monolayer groups are permanently covalently

bonded to the substrate at a surface density significantly higher than any previously reported, and carry at their distal ends functional reactive groups, namely thiol groups, which can be utilized to bond either permanently or reversibly to a biomolecule such as oligonucleotide, enzyme etc., either directly or through the intermediary of a chemical tethering group or molecule. The functional, reactive thiol groups may be chemically protected until used for bonding to the tethering group or biomolecule. The invention also provides novel reagents and novel processes for preparing such coated supports, and for preparing biomolecule-presenting solid supports from the coated supports.

Thus according to an aspect of the invention, there is provided a coated support comprising a solid substrate having a surface and a monolayer of alkylsilane groups chemically bound to said surface, said alkylsilane groups being cross-linked to one another, and having distal reactive chemical groups, reactive chemical groups, the alkylsilane groups being bonded to the surface at a density of at least 14 picamoles per square centimeter of area of said surface.

The choice of length of the alkyl chain is made on the basis of assuring the provision of enough exposed distal functional groups for successful bonding to the tethering molecule or biomolecule. Too short an alkyl chain on the alkylsilyl group will lead to excessive cross-linking and gelling on the substrate surface with the result that insufficient functional group is presented. Whilst alkyl chains as short as 2C can be used, it is preferred to use silane compounds with alkyl chains C8-C20, most preferable C8-C18.

is provided a coated support comprising a solid substrate having a surface and a monolayer of alkylsilane groups chemically bound to said surface, said alkylsilane groups being cross-linked to one another, and having distal reactive  
5 chemical groups, reactive chemical groups, the alkylsilane groups being bonded to the surface at a density of at least 14 picamoles per square centimeter of area of said surface.

The choice of length of the alkyl chain is made on  
10 the basis of assuring the provision of enough exposed distal functional groups for successful bonding to the tethering molecule or biomolecule. Too short an alkyl chain on the alkylsilyl group will lead to excessive cross-linking and gelling on the substrate surface with the result that  
15 insufficient functional group is presented. Whilst alkyl chains as short as 2C can be used, it is preferred to use silane compounds with alkyl chains C8-C20, most preferable C8-C18.

20 Specific preferred alkyl silane compounds for use in the invention are those corresponding to the general formula  $\text{Cl}_3\text{Si}-(\text{CH}_2)_n-\text{SH}$  and thiol-protected derivatives thereof, where n is an integer from 2-20, preferably 8-18. Reaction of these silanes with solid substrates such as  
25 silicon, silica, chromium, chromic oxide etc., requires prior protection of the thiol group, to guard against reaction of the trichlorosilyl group with the thiol group, resulting in polymerization of the alkylsilyl reagent.

30 As noted, an aspect of the present invention is a coated substrate as described above, having the functional

-17a-

distal thiol end group of the alkylsilane compound bonded to a tethering group, which is in turn bonded to the biomolecule receptor. The tethering group or tether may be permanently bound to the alkylsilane compound, e.g. by use of a compound  
5 such as bis(bromomethyl)benzene, conveniently used in the form of its water soluble, sulfonate derivative, as the tether. Alternatively, the tethering group may be reversibly bound to the alkylsilane compound e.g. by use of a disulfide linkage thereto, so that the support can be reconstituted for  
10 re-use following the binding of a biomolecule to the receptor thereof. An example of a compound for use as such a removable, reversible tether is a pyridyl disulfide, of formula:

15

This will react with a receptor molecule such as a DNA piece to link through a reversible disulfide bond.

20

The process of preparing the coated supports of the present invention involves a step of reacting the prepared, cleaned substrate with the alkylsilane so that the  $-Si(Cl)_3$  group thereon reacts with the substrate surface, e.g. Si  
25 atom, to form a linkage substrate-Si-O-Si-alkyl. This reaction requires the presence of a small amount of water on the silicon surface, and the presence of a solvent for the alkylsilane which has the correct polarity and water affinity so that it removes the appropriate amount of water from the  
30 silicon surface. Suitable such solvents are aromatic hydrocarbons such as toluene, benzene, naphthalene, xylene

The process of preparing the coated supports of the present invention involves a step of reacting the prepared, cleaned substrate with the alkylsilane so that the  $-Si(Cl)_3$  group thereon reacts with the substrate surface, e.g. Si atom, to form a linkage substrate-Si-O-Si-alkyl. This reaction requires the presence of a small amount of water on the silicon surface, and the presence of a solvent for the alkylsilane which has the correct polarity and water affinity so that it removes the appropriate amount of water from the silicon surface. Suitable such solvents are aromatic hydrocarbons such as toluene, benzene, naphthalene, xylene and the like. Water miscible solvents such as dioxane are unsuitable. Highly water repellent solvents such as pentane are also unsuitable. This choice of suitable solvents based on water affinity has been described previously, for example, in the article "Role of Solvent on the Silanization of Glass with Octadecyltrichlorosilane", McGovern et al., LANGMUIR, 1994, 10, p3607-2614 (A.C.S.), the disclosure of which is incorporated herein in its entirety.

20

The invention thus comprises several principal aspects.

A first aspect of the invention is a new silane, 1(Thiotrifluoroacetato)-11-trichlorosilyl)-undecane (referred to as TTU) which has also been used as a component of a novel silanization procedure which allows a very high density monolayer of exposed thiol groups to be placed on a variety of hydroxylic surfaces in a reproducible manner. The invention also includes the use of diluent silanes such as n-octyltrichlorosilane to further control the packing density of the thiol functionality on the surface. It is important to note that the silanization procedure later described produces

monolayer films of trichlorosilanes through moisture control of the solvents and surfaces used in the preparation and is transferrable to other silanes as well.

5           A second aspect concerns the methodology by which nucleic acids are attached to a thiol-functionalized silane surface either by using a new water soluble bis(bromomethyl)benzene sulfonate (BMBS) linking reagent which forms a permanent thioether bond between the surface  
10 and the nucleic acid, or through a reversible disulfide bond formed from a procedure which creates a mixed pyridylisulfide-nucleic acid functionality (DNDS reagent).

          A third aspect of the invention concerns the method  
15 by which the linkers are connected to the nucleic acid moiety. Nucleic acids can be synthesized so they contain an integral tether terminating in the thiol group. The tether in this aspect of the invention may consist of 2 - 20 units in length, which may be composed of either hydrocarbon alkyl  
20 chain or polyether functionalities. The tether can be a reagent in solution such as a phosphoramidite, or a modified nucleotide triphosphate which can be enzymatically attached to the nucleic acid. The tether could also be attached to the solid phase onto which the nucleic acid chain is  
25 synthesized. The thiol group of the tether reacts with either the new BMBS linking agent pyridyldisulfide-nucleic acid via DNDS reagent, which then reacts with the surface thiol provided by the silanized surface. In the case of the disulfide bond created through the latter method, cleavage of  
30 it and release of the nucleic acid can occur chemoselectively using reagents such as dithiothreitol (DTT).

In a further aspect of the invention, a coated

support comprises: a solid support; a monolayer forming compound containing a functionality which bonds covalently to the support; a receptor molecule capable of recognizing and bonding to other molecules; a tether attached to the receptor molecule and containing a spacer group; the tether receptor module being covalently attached to the functionalized monolayer forming compound.

In a further aspect of the invention, the solid support is selected from the group consisting of metals, metal oxide composites, silicas, quartz, glasses, silicon-based semiconductors, ceramics, electrophoresis membranes, filter membranes, and natural or synthetic polymers having, prior to the linkage with a spacer group, hydroxyl groups or other functional groups that can be converted into hydroxyl groups.

In another aspect of the invention, the coated support may be used in nucleic acid separation, purification, isolation, synthesis, amplification, diagnostic or detection applications.

In another aspect of the invention, the monolayer forming compound is polymerizable trichlorosilane with an alkyl chain containing from 2 to 20 carbon atoms, and a terminal functionality.

In a further aspect of the invention, the terminal functionality is a thiol group protected by a protective group.

In a further aspect of the invention, the protective group is a trifluoro acetyl group.

In a further aspect of the invention, one or more monolayer forming compounds are used to create a multifunctionalized support. Such compounds are allyl silane compounds as previously described. In a preferred  
5 embodiment, one of the silane compounds is functionalized with a distal thiol group, optimally protected, whereas the other, of shorter alkyl chain length than the first has an inactive distal end group. In this embodiment the second, shorter compound acts as a spacer between the active distal  
10 end groups of the first compound to guard against steric hindrance in its subsequent reaction with biomolecules, but allows retention of the surface density of the bonded alkyl silyl groups for proper protection of the substrate.

15 In a further aspect of the invention, the receptor molecule is a biomolecule.

In a further aspect of the invention, the biomolecule is an oligonucleotide.  
20

In a further aspect of the invention, the receptor molecule is an enzyme, antibody, antigen or nucleic acid binding protein.

25 In a further aspect of the invention, the monolayer forming compound is 1-(Thiotrifluoroacetato)-11-(trichlorosilyl)-undecane.

In a further aspect of the invention, the monolayer  
30 forming compound contains a terminal functionality distant from the functionality which bonds to the solid support.

In a further aspect of the invention, there is



disclosed a method of preparing a coated support comprising:  
selecting a solid support; humidifying the solid support;  
creating on the solid support a monolayer of a compound  
containing a functionality which bonds to the solid support;  
5 selecting a receptor molecule capable of recognizing and  
bonding to other molecules; attaching a tether to the  
receptor molecule containing a spacer group; using a  
bifunctional reagent to covalently attach the tethered  
receptor molecule to the functionalized monolayer compound by  
10 a chemoselectively reversible bond.

In a further aspect of the invention, the terminal  
functionality is a thiol group protected by a trifluoroacetyl  
protective group.

15

In a further aspect of the invention, the  
protective group is removed using aqueous hydroxylamine  
reagent following creation of the monolayer.

20 In a further aspect of the invention, the thiol  
group has been converted to a pyridyl disulphide group.

In a further aspect of the invention, the tether is  
attached to the solid support prior to use of the  
25 bifunctional reagent [i.e. solid phase oligonucleotide  
synthesis].

In a further aspect of the invention the tether is  
covalently bound to a nucleoside triphosphate and is  
30 enzymatically attached to the oligonucleotide.

In a further aspect of the invention, the tether is  
covalently bound to a nucleoside triphosphate and is

enzymatically attached to an oligonucleotide.

In a further aspect of the invention, the bifunctional reagent attaches the tether oligonucleotide to  
5 the functionalized support.

In a further aspect of the invention, the bifunctional reagent contains halobenzyl functional groups.

10 In a further aspect of the invention, the bifunctional reagent has been rendered water soluble.

In a further aspect of the invention, the functional reagent has been rendered water soluble by means of  
15 sulfonation.

In a further aspect of the invention, the bifunctional reagent is water soluble  
(bis(bromomethyl)benzene sulfonate, a novel compound.

20

In a further aspect of the invention, a reagent is used to cleave the disulfide bond and to release nucleic acid.

25 In a further aspect of the invention, said reagent is dithiothreitol.

The high density of alkylsilane loading on the substrate is achieved in the present invention is  
30 demonstrated by the amount of Dan surface immobilized on derivatized surfaces reported in the following examples. Table 11 below shows averages of  $14.5 \times 10^{-12}$  to  $54 \times 10^{-12}$  mols of DNA per square centimeter of surface area. Assuming a

minimum 90% of the monolayer surface bound groups have bound to a DNA sample, this demonstrates a density of at least 14 picamoles, and at least up to about 60 picamoles, of monolayer surface bound groups per square centimeter of substrate surface.

Such high density provides additional advantages besides that of increased analytical sensitivity in practice. It also provides especially effective protection of the substrate against the deteriorative, "corrosive" effects of the aqueous medium in which the analyses using the products of the present invention are commonly used. Surface densities of alkylsilane groups, which are hydrophobic, of the high levels achieved therein, effectively seals the surface from the water. This is particularly beneficial when using metal substrates such as chromium which are subject to corrosive deterioration. Products of the present invention are thus more durable and long-lasting in practice. This sealing effect from the high density monolayer coating achieved without significant loss of sensitivity, particularly in the case where a non-terminally functionalized alkylsilane, of shorter chain length, is used in conjunction with the C8-C18 thiol-terminated alkylsilane as described above.

Other aspects of the invention will be apparent from the following detailed description of the invention.

#### Brief Description of the Drawings

In the drawings which illustrate the invention in more detail,

Fig. 1 is a representation of chemical reactions leading to the generation of: A) a new silane, and B) a new linker.

Fig. 2 illustrates the cleaning and humidification of the substrate used in silanization.

Fig. 3 illustrates: A) the silanization of the humidified substrate with a mixture of 30% TTU and 70% octyltrichlorosilane, and B) the deprotection of said surface with hydroxylamine reagent.

Fig. 4 illustrates the preparation of: A) thiol-tether to oligonucleotide, B) BMBS reagent to oligonucleotide-tether complex, and C) DNDS reagent to oligonucleotide-tether complex.

Fig. 5 illustrates the immobilization of oligonucleotide-tether-linker complex to thiol functionalized surfaces by: A) permanent thioether bond formation, and B) chemoselectively reversible disulfide bond.

## Detailed Description of the Invention

### Experimental

#### Synthesis of Silane

25

**Materials.**  $\omega$ -Undecenyl alcohol 98%, potassium thioacetate 98%, trifluoroacetic anhydride 99+%, hydrogen hexachloroplatinate(IV) hydrate 99.995%, trichlorosilane 99%, neutral alumina (standard grade, 150 mesh, 58Å), silica gel (Merck, grade 9385, 230-400 mesh 60Å) were obtained from Aldrich and were used as received. Triphenylphosphine 98%, N-bromosuccinimide (NBS) 98%, anhydrous magnesium sulfate, phosphorus pentoxide, potassium hydroxide, hexanes, diethyl

30

ether, tetrahydrofuran, isopropanol, methanol, and hydrochloric acid were purchased from BDH and were used without further purification. Dichloromethane and acetonitrile were purchased from BDH and were distilled over  
5 phosphorus pentoxide before use. Pyridine was obtained from BDH and was distilled over KOH before use.

**Instrumentation.** NMR spectra are reported in units of  $\delta$  and were recorded on either a Varian Gemini 200  
10 spectrometer using a  $^1\text{H}$  -  $^{13}\text{C}$  switchable probe, or on a Varian VXR400S spectrometer ( $^1\text{H}$ ,  $^{13}\text{C}$ ,  $^{19}\text{F}$ ,  $^{29}\text{Si}$ ) using a 5mm switchable probe. In the case of  $^{29}\text{Si}$ , either inverse-gated decoupling or DEPT were used. The samples were dissolved in  $\text{CDCl}_3$ , which contained 0.03% TMS. Both  $^1\text{H}$  and  $^{29}\text{Si}$  NMR  
15 spectra were referenced to TMS at 0.00 ppm, while  $^{13}\text{C}$  NMR spectra were referenced to the center of the  $\text{CDCl}_3$  triplet at 77.00 ppm.

Mass spectrometry was performed on a VG 70-250S  
20 (double focussing) mass spectrometer. The sample was subjected to electron ionization at 70 eV and an accelerating voltage of 8 KeV. The source was set at 250°C and a pressure of  $10^{-6}$  mbar. Perfluorokerosene was introduced into the spectrometer via a separate, continuous introduction system  
25 and the  $\text{CF}_3^+$  ion (mass 68.9952) was used as a reference. Under these conditions, the mass spectrometer had a resolution of about 1200 ( $m/\Delta m$ ) at 10% valley.

Elemental analysis was performed by Canadian  
30 Microanalytical Service Ltd. (Delta, B.C.). The silane was handled in an inert atmosphere during handling and analysis. All elements except oxygen were determined.

Fourier-transform infrared spectrometry was performed on Nicolet 5DXB spectrometer using the manufacturer's software. Ten scans were collected and averaged at a resolution of  $2\text{cm}^{-1}$  and were referenced to polystyrene. The liquid samples were run neat on NaCl disks.

**Synthesis of  $\omega$ -Undecenyl Bromide (2).** In a flame-dried dual-necked 200 ml round bottomed flask equipped with a teflon-coated magnetic stir bar and a condenser and  $\text{N}_2$  inlet, were placed 8.5 g (50 mmol) of  $\omega$ -undecenyl alcohol (1) and 100 ml of dry dichloromethane. The flask was covered with aluminum foil and mixture was stirred and cooled in a  $\text{CCl}_4$ /dry ice bath ( $-23^\circ\text{C}$ ). 15.7g (60 mmol) of triphenylphosphine was added to the mixture and stirred until it dissolved. 9.8g (55 mmol) of NBS was added all at once to the mixture and was stirred at  $-23^\circ\text{C}$  for 1 hour. The flask was removed from the cold bath and the mixture was allowed to stir at room temperature for 30 minutes. The solution was transferred to a separatory funnel and was washed with water saturated with sodium carbonate. The organic layer was dried with  $\text{MgSO}_4$ , filtered, and concentrated on a rotary evaporator. The purple precipitate was extracted with 3 X 50 ml aliquots of hexanes using a combination of mechanical stirring, heat and sonication. The resulting suspension was filtered, and the hexanes removed on a rotary evaporator. The material was filtered through a short column of neutral alumina (5 cm height, 3 cm diameter) using hexanes under vacuum and the product was concentrated on a rotary evaporator to yield a clear liquid. Yield 10.64g (91%); IR (neat) 3074, 2926, 1639, 1458, 999, 909  $\text{cm}^{-1}$ ;  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  5.79 (1H, dddd,  $J = 17.2, 10.2, 7.0, 7.0$  Hz), 4.93 (2H, m), 3.38 (2H, t), 2.02 (2H, dd,  $J = 6.2, 1.1$  Hz), 1.83 (2H, m), 1.24-1.44 (12H, m);  $^{13}\text{C}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$

139.03, 114.05, 33.93, 33.79, 32.86, 29.38, 29.08, 28.92, 28.76, 28.18.

**$\omega$ -Undecenyl Thioacetate (3).** In a 50 ml round  
5 bottomed flask equipped with a teflon-coated magnetic stir  
bar, a condenser and N<sub>2</sub> inlet, were placed 3.50g (15 mmol) of  
 $\omega$ -undecenyl bromide (2), 1.71g (15 mmol) of potassium  
thioacetate and 25 ml of 95% ethanol. The mixture was  
refluxed overnight, after which the solution was transferred  
10 to a separatory funnel, 50 ml of water was added and was  
extracted with 3 X 50 ml aliquots of hexanes. The organic  
layer was dried with MgSO<sub>4</sub>, filtered, and concentrated on a  
rotary evaporator. Yield 3.32g (97%); IR (neat) 3074, 2926,  
1696, 1639, 1458, 1360, 1138, 999, 909 cm<sup>-1</sup>; <sup>1</sup>H NMR (400 MHz,  
15 CDCl<sub>3</sub>)  $\delta$  5.79 (1H, dddd,  $J$  = 17.2, 10.2, 7.0, 7.0 Hz), 4.93  
(2H, m), 2.85 (2H, t), 2.35 (3H, s), 2.02 (2H, dd,  $J$  = 6.2,  
1.1 Hz), 1.55 (2H, m), 1.24-1.44 (12H, m); <sup>13</sup>C NMR (400 MHz,  
CDCl<sub>3</sub>)  $\delta$  195.91, 139.12, 114.07, 33.79, 30.62, 29.49, 29.39,  
29.38, 29.14, 28.90, 28.79.

20

**$\omega$ -Undecenyl Thiol (4).** In a 50 ml round bottomed  
flask equipped with a teflon-coated magnetic stir bar, a  
condenser and N<sub>2</sub> inlet were placed 2.0g (8.76 mmol) of  $\omega$ -  
undecenyl thioacetate (3), 20 ml of 95% ethanol, and 5 ml of  
25 1M NaOH. The mixture was refluxed for 1 hour, after which the  
solution was transferred to a separatory funnel, 50 ml of  
water was added and was extracted with 3 X 50 ml aliquots of  
hexanes. The organic layer was dried with MgSO<sub>4</sub>, filtered,  
and concentrated on a rotary evaporator. Note: this material  
30 should be used immediately or stored in a frozen state. Yield  
1.49g (91%); IR (neat) 3074, 2926, 2550, 1639, 1458, 999,  
909 cm<sup>-1</sup>; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>)  $\delta$  5.79 (1H, dddd,  $J$  = 17.2,

10.2, 7.0, 7.0 Hz), 4.93 (2H, m), 2.52 (2H, dd, 8.0, 4.0), 2.02 (2H, dd,  $J = 6.2$ , 1.1 Hz), 1.57 (1H, t), 1.24-1.44 (12H, m);  $^{13}\text{C}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  139.09, 114.07, 34.04, 33.78, 29.44, 29.39, 29.08, 29.04, 28.90, 28.36, 24.63.

5

**$\omega$ -Undecenyl Thiotrifluoroacetate (5).** In a 25ml round bottomed flask equipped with a teflon-coated magnetic stir bar were placed 0.939 g (3.33 mmol) of  $\omega$ -undecenyl thiol (4) and 5ml of dry pyridine. 0.699g (3.33 mmol) of trifluoroacetic anhydride was added, and the mixture was stirred at room temperature for 30 minutes while stoppered. The pyridine was removed under vacuum and the solid material was extracted with 3 X 20 ml aliquots of hexanes. The hexanes were removed with a rotary evaporator to yield an oil. The oil was distilled via Kugelrohr and a fraction was collected at 90°C at 0.1 mm Hg. Yield 0.556g (59%); IR (neat) 3074, 2926, 1704, 1639, 1458, 1285, 1203, 1162, 999, 909  $\text{cm}^{-1}$ ;  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  5.79 (1H, dddd,  $J = 17.2$ , 10.2, 7.0, 7.0 Hz), 4.93 (2H, m), 3.05 (2H, t), 2.02 (2H, dd,  $J = 6.2$ , 1.1 Hz), 1.55 (2H, m), 1.24-1.44 (12H, m);  $^{13}\text{C}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  184.81, 139.03, 114.11, 33.79, 29.43, 29.35, 29.32, 29.29, 28.95, 28.90, 28.67, 28.60, 24.66.

25

**1-(Thiotrifluoroacetato)-11-(trichlorosilyl)-undecane (TTU) (6).** In a flame dried heavy-walled ampoule were placed 0.99g (3.5 mmol) of  $\omega$ -undecenyl thiotrifluoroacetate (5), 0.47 g (3.5 mmol) of  $\text{HSiCl}_3$ , and 1 drop of a 4% soln of  $\text{H}_2\text{PtCl}_6$  in isopropanol. The ampoule was sealed at -195°C and after thawing at room temperature, it was heated at 60°C overnight. The vial was then opened at -195°C and the remaining  $\text{HSiCl}_3$  was removed under low vacuum. The main contents of the ampoule were distilled

30



using a Kugelrohr distillation apparatus. The product distilled at 140°C at 0.1 mm Hg. Yield 1.17g (80%); <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 3.05 (2H, t), 1.20-1.80 (20H, m); <sup>13</sup>C NMR (400 MHz, CDCl<sub>3</sub>) δ 184.90, 115.53, 31.82, 29.45, 29.35, 29.30, 29.00, 28.97, 28.68, 28.63, 24.32, 22.28; <sup>29</sup>Si NMR (400 MHz, CDCl<sub>3</sub>) δ 13.32; Elemental Analysis: Calcd%: C(37.47), H(5.32), F(13.68), S(7.69), Cl(25.52), Si(6.74), Found: C(38.91), H(5.58), F(8.32), S(9.05), Cl(21.92), Si(1.20).

10

### Single-Stranded DNA Synthesis

**Materials** DNA synthesis was performed on an Applied Biosystems Inc. (ABI) 392 DNA/RNA automated synthesizer, using standard CE phosphoroamidite chemistry. The reagents were purchased fresh from ABI and used as received including the benzoyl and isobutyryl-protected standard 500 mg phosphoroamidite DNA nucleotides. 0.02 M iodine oxidizing solution was used for synthesis in conjunction with 3'-thiol modification cartridges (1 μmole, 3'-Thiol modifier C3 S-S CPG, cat # 20-2933-41), both of which were purchased from Glen Research. Standard base 1 μmole synthesis columns were purchased from ABI. Concentrated ammonium hydroxide was purchased from Aldrich fresh and was refrigerated when not in use. Anhydrous acetonitrile was purchased from Aldrich and used as received. Synthesis was performed with the DMT group left on the final base, and the first two and last two trityl fractions were collected for quantitation. Poly Pak DNA purification cartridges were purchased from Glen Research. 2M Triethylamine acetate (TEAA) was purchased from ABI. Acetonitrile, trifluoroacetic acid (TFA) and ammonium hydroxide were purchased from Aldrich and used without further purification. Diluted reagents were prepared using

30

the appropriate quantity of deionized water. *p*-toluene sulfonic acid, sodium acetate (ACS), sodium chloride (ACS) and acetic acid (ACS) were purchased from Aldrich.

5                   The following DNA sequences were synthesized;

	5'	3'
	"control-DNA"	TAAAGCTCAAA
10	"thiol-DNA"	TAAAGCTCAAA-C3-SH

**DNA Deprotection**     The standard end-synthesis program was used to cleave the product from the solid support via ammonolysis. The collection vials were sealed with teflon-coated screwcaps and were heated to 55°C for 16h to complete the deprotection. The vials were cooled before dividing the sample into 3 aliquots, each approximately 700 µl, in polypropylene capped mini centrifuge tubes. The ammonium hydroxide was removed on a SpeedVac set at the low temperature setting.

15

20

**DNA Purification**     A Poly-Pak solid phase purification cartridge was conditioned by pushing 2ml of acetonitrile through the cartridge with a polypropylene syringe. The cartridge was then washed with 2ml of 2M TEAA. The lyophilized DNA was dissolved in 1ml of 1 M TEAA, loaded onto the cartridge, and the eluted liquid was collected and introduced again to the cartridge a total of 4 times. The cartridge was washed with 3ml of 5% ammonium hydroxide, followed by 2ml of water. 4ml of 2% TFA was added to the column, followed by 2ml of water. The product was eluted with 1ml of 20% acetonitrile into a polypropylene vial.

25

30

### **Coupling Efficiency via Trityl Analysis**

The collected DMT ("trityl") was diluted to 50 ml with 0.1 M p-toluene sulfonic acid (TSA) in acetonitrile. Approximately 2 ml of the diluted trityl was dispensed into a standard UV-grade quartz cuvette, and the absorbance at 498 nm was monitored, after referencing to a 0.1 M TSA blank, using a Perkin Elmer UV-vis spectrophotometer.

**Quantitation of Purified DNA** All of the DNA synthesis aliquots were concentrated so that 1 polypropylene tube contained the entire product of 1 synthesis column, in 1ml of water. 20 µl of the DNA solution was added to 980 µl of PBS buffer. The sample was analysed on a Perkin Elmer UV-vis spectrophotometer at 210-310 nm, after baseline subtraction of PBS blank (10 µl water, 980 µl PBS).

### **Chromatographic Determination of DNA Purity**

A Dionex DX 500 ion-exchange chromatography system equipped with a GP40 gradient pump, and AD20 UV-vis absorbance detector, and a column switching valve (P/N 044858). The analytical column was a Dionex Nucleopac PA-100 (4 X 250 mm) anion-exchanger protected with a Nucleopac PA-100 guard column. The modules were controlled via the Peak Net software system. Mobile phase "A" consisted of 25 mM sodium acetate in 10% acetonitrile (pH 5.2), while mobile phase "B" consisted of 1M sodium chloride dissolved in "A". The column was equilibrated with "A" at 1.5 ml/min, and then 20 µl of the DNA sample was injected, after which the proportion of "B" increased linearly until it reached a ratio of 20% "A" : 80% "B" over 40 min. "B" was increased to 100% during the next 5 minutes and the column was flushed at 1.5 ml/min for 10 minutes, then "A" was returned to 100% over 5

minutes, and the column was equilibrated for 5 minutes before the next injection. Absorbance was monitored at 260 nm.

5      **Synthesis of 2,5-Bis(bromomethyl)benzenesulfonate, sodium salt (BMBS)**

**Materials.** *p*-Xylene, carbontetrachloride, sodium hydroxide and N-Bromosuccinimide (NBS) were obtained from BDH and used as recieved. 1,1'-Azobis(cyclohexanecarbonitrile) (ACN) and  
10      DMF-sulfurtrioxide complex were obtained from Aldrich and used as recieved. DMF and benzene were obtained from BDH and were dried over 4Å molecular sieves (Aldrich) before use.

**1,4-Bis(bromomethyl)benzene (8)** 19.58g (0.11 mol) of NBS was  
15      transferred to a 250ml round-bottomed flask containing a teflon-coated magnetic stir bar. 5.3g (0.1 mol) of *p*-xylene (7), 100ml of carbontetrachloride and 500mg of ACN were added to the flask and the contents were stirred and refluxed for 3h. After cooling to room temperature, the solution was  
20      filtered and the residue was extracted with carbontetrachloride, filtered and combined with the first fraction. The solvent was removed using a rotary evaporator, and the white residue was recrystallized from heptane. Yield 23.5g.

25

**2,5-Bis(bromomethyl)benzenesulfonate, sodium salt (BMBS) (10)**  
2.64g (0.01 mol) of 1,4-Bis(bromomethyl)benzene (8) was transferred to a 25ml round-bottomed flask and was diluted with 7ml of dry DMF. 1.8g (0.012 mol) of DMF-sulfur trioxide  
30      complex was added to the flask and the mixture was stirred and heated at 100°C for 3h. The DMF was removed by a rotary evaporator, and the material was neutralized with 1M sodium hydroxide. The aqueous layer was extracted with benzene twice

before the water was removed by azeotropic distillation with dry benzene. The material was vacuum dried overnight to yield 3.42g of a sticky opaque substance.  $^1\text{H}$  NMR (400 MHz,  $\text{D}_2\text{O}$ )  $\delta$  7.83 - 7.42 (3H, m), 4.63 (4H, s);  
5  $^{13}\text{C}$  NMR (400 MHz,  $\text{D}_2\text{O}$ )  $\delta$  132.47, 132.36, 131.99, 131.47, 61.26, 43.07, 35.39.

**Preparation of 6,6'-Dithiodinicotinic acid, disodium salt (DNDS) (21)** 1.54g (0.005 mol) of 6,6'-Dithiodinicotinic acid (Aldrich, used as received) was stirred with 10ml of 1M NaOH and 10ml distilled water for 15 minutes. Most of the water was removed by rotary evaporation before the solid was azeotropically distilled with benzene and vacuum dried. Yield 1.86g.

15

#### Silanization Procedure

**Materials.** Silicon wafers, obtained from International Wafer Service, were supplied approximately 0.4 mm thick and were polished on one side to a mirror finish. They were cut to a size of approximately 1 X 1 cm using a diamond-tipped pencil. Magnesium nitrate hexahydrate was obtained from Sigma. Octadecyltrichlorosilane (OTS), octyltrichlorosilane (C8), 3-mercaptopropyltrimethoxysilane (MPS) and chloroform were purchased from Aldrich. Toluene was purchased from BDH and was distilled over Na under  $\text{N}_2$  immediately before use. Deionized water was obtained from an IWT (Illinois Water Treatment Company) system.

30 **Instrumentation.** X-ray photoelectron spectra were recorded on a Leybold MAX-200 X-ray Photoelectron Spectrometer using either an unmonochromated Mg  $\text{K}_\alpha$  source run at 15 kV and 20 mA. The energy scale of the spectrometer was calibrated to

the Ag  $3d_{5/2}$  and Cu  $2p_{3/2}$  peaks at 368.3 eV and 932.7 eV, respectively. The binding energy scale was calibrated to 285 eV for the main C(1s) feature. For all samples, a survey run (pass energy = 192 eV, and from 0 - 1000 eV on the binding energy scale) was performed, along with higher resolution scans of the most relevant regions. Each sample was analyzed at a 90° angle relative to the electron detector using an X-ray spot size of 4X7mm. Satellite subtraction and data normalization were performed with software obtained from the manufacturer, while quantitative and peak fitting work was performed using ESCATools program. Quantitation of the low resolution spectra was performed using empirically derived sensitivity factors (obtained from the manufacturer). The sensitivity factors were C(1s) = 0.34, O(1s) = 0.78, Si(2p) = 0.4, F(1s) = 1.00.

**Cleaning and Hydration Procedure for Silicon.** The wafers were first gently washed with Orvus soap solution by hand to gently remove large dust grains, then rinsed copiously with distilled water and dried in air. The wafers were then washed with ACS chloroform, blown dry with nitrogen, and then sonicated in 30% hydrogen peroxide for 30 min (Fig. 2, 11-12). They were rinsed 5 times with deionized water, and then oven dried at 120°C for 30 minutes. The wafers were stored in a humidity chamber which contained water saturated with  $Mg(NO_2)_2$  overnight (Fig. 2, 12-13).

**Silanization of Silicon Substrates with TTU.** The hydrated wafers were quickly removed from the humidity chambers and placed into test tubes (previously silanized with OTS) and stoppered. A dry box filled with air dried through a drierite/molecular sieve train was used to provide a low-moisture environment for the silanization reactions. The

substrates were silanized for 2 hours using 2 mls of a  $1 \times 10^{-3} \text{M}$  solution in dry toluene of the mixture 30% TTU (6) / 70% octyltrichlorosilane (14) (Fig. 3, 13-15). The samples were then rinsed with dry toluene, then chloroform before being  
5 dried under nitrogen. X-ray photoelectron spectroscopic (XPS) surface analysis was performed on two 50%TTU / 50 % octyltrichlorosilane coated wafers made under identical conditions and on 2 blank silicon wafers.

10 **Silanization of Silicon Substrates with MPS.** The silanization procedure used for TTU was adopted for 3-mercaptopropyltrimethoxysilane, except that a  $1 \times 10^{-2} \text{M}$  (similar to the method of Bhatia) solution of MPS was used. X-ray photoelectron spectroscopic (XPS) surface analysis was  
15 performed on a random sample of 2 MPS coated wafers.

**Deprotection of TTU Surfaces.** The TTU-coated wafers were treated with 2ml of 0.5 M hydroxylamine in water (pH 8.5) for 2 hours at room temperature, then were rinsed with copious  
20 amounts of deionized water and finally rinsed with methanol and were blown dry with  $\text{N}_2$  before storage in clean screw-capped vials (Fig. 3, 15-16). X-ray photoelectron spectroscopic (XPS) surface analysis was performed on 2 deprotected 50% TTU / 50% octyltrichlorosilane coated wafers.

25

### **Radiolabelling Experiments**

**Day 1** 500ml of PBS buffer (pH 7.5) was made from tablets (Sigma) dissolved in deionized water (Millipore). 100ml of  
30 this buffer was transferred to a separate container called "label buffer" and  $\text{MgSO}_4$  (BDH ACS grade, heated to  $150^\circ\text{C}$  for 30 minutes prior to use) was added to the solution to a concentration of 10mM. The two solutions were autoclaved at

- 37 -

120°C for 30 minutes.

The contents of 3 tubes of "thiol DNA" were dissolved in a total of 200 µl of label buffer and combined into one eppendorf tube. The same was done for "control DNA".

2 µl of the thiol DNA was added to 500 µl of water and its U.V. absorbance was measured using a Beckman DU640 spectrophotometer.  $\lambda_{260\text{nm}} = 0.1069$ ,  $\lambda_{280\text{nm}} = 0.0593$

10

2 µl of the control DNA was added to 500 µl of water and its U.V. absorbance was measured.

$\lambda_{260\text{nm}} = 0.8393$ ,  $\lambda_{280\text{nm}} = 0.7273$

15 One container of Polynucleotide Kinase (Pharmacia, cat # 27-0736-01, 200u, obtained recently and stored at -20°C unopened before use) was diluted with 20 µl of PBS, and was stored on the benchtop in a cooler at -20°C when not in immediate use.

20 Two containers of  $\gamma^{32}\text{P}$  ATP (Amersham, special order, contains no  $\beta$ -mercaptoethanol (BME) or other preservatives, dissolved in 50% ethanol) had arrived a few hours earlier, and were made to each have an activity of 2mCi/ml in a total volume of 125 µl for the previous day.

25

Note: all experiments involving the handling of radiochemicals were done behind 1cm thick plexiglas shields in a specially designated area of the lab. Tongs or a small plexiglas eppendorf tube holder were used to manipulate the sample tubes whenever possible and safetyglasses were worn.

30

198 µl of "thiol DNA" solution and 9 µl of kinase solution and 125 µl of ATP solution were mixed together.



- 38 -

25  $\mu$ l of control DNA solution and 173  $\mu$ l of label buffer and 9  $\mu$ l of kinase solution and 125  $\mu$ l of ATP solution were mixed together.

- 5 Both tubes were incubated at 37°C in a circulating water bath overnight (16h).

**Day 2** 100ml of PBS solution was adjusted to a pH of 3 and was autoclaved at 120°C for 30 minutes.

10

Both DNA samples were extracted twice with 200  $\mu$ l of chloroform (BDH spectrograde), and 75  $\mu$ l of the aqueous phase was removed with care taken not to include material at the interface. 5  $\mu$ l of the solutions were stored in the -20°C

15

freezer.

70  $\mu$ l of "thiol DNA" was reacted with approximately 5mg of DNDS (21) for 1h at room temperature.

- 20 Another aliquot of 70  $\mu$ l of "thiol DNA" was reacted with approximately 5mg of BMBS (10) for 1h at room temperature.

70  $\mu$ l of "control DNA" was allowed to sit for 1h at room temperature.

25

2 NAP-5 desalting columns (Pharmacia) were equilibrated with PBS (pH 7.5) buffer according to the manufacturer's instructions, while a separate NAP-5 column was equilibrated with PBS

30

(pH 3).

The "control DNA" and DNDS-reacted sample were loaded onto the NAP-5 columns which were previously equilibrated with PBS

- 39 -

(pH 7.5), after which 430  $\mu$ l of PBS (pH 7.5) was added and the liquid was allowed to percolate onto the column. BMBS-reacted sample was loaded onto the separate NAP-5 column (pH 3), 430  $\mu$ l of PBS (pH 3) was added and the liquid was allowed to percolate onto the column.

900  $\mu$ l of the appropriate buffer was used to elute the samples, which were collected in 1ml eppendorfs.

10 10  $\mu$ l of 1M NaOH was added to the BMBS sample to neutralize the acid.

A 100  $\mu$ l aliquot was removed from each sample and stored at -20°C.

15

A special cell was previously constructed (Machine Shop, Dept of Chemistry, University of Toronto) to house the silanized surfaces. It was fabricated from stainless steel and consisted of two 1cm thick slabs which could be secured together with nine bolts. In the top slab, 12 holes were drilled through, each 5mm diameter, each spaced approximately 1.5cm away from its nearest neighbour or an edge. A silicone gasket was cut so that 12 (5mm diameter) holes lined up with the top slab. 6 deprotected 30% TTU wafers were positioned over the holes on one side of the silicone gasket, and 6 100% MPS wafers were positioned on the other side so that the polished side of the wafers were facing toward the holes. Care was taken to ensure that the wafers were centered over the holes and that no leakage could occur. A rubber gasket was placed over the backside of the wafers, and the bottom slab was positioned on top. The entire assembly was flipped over so that the holes were now visible, and the bolts were fastened so that a snug, but not overly tight fit was

achieved.

200 µl of the samples which eluted from the NAP-5 columns were added to the samples in the following pattern;

5

Sample	TTU surfaces		MPS surfaces	
	#1	#2	#1	#2
control-DNA				
DNDS-treated	#1	#2	#1	#2
thiol-DNA				
BMBS-treated	#1	#2	#1	#2
thiol-DNA				

10

The samples were allowed to react with the surfaces overnight (16h).

15

**Day 3** The liquids were removed from the cell, and the surfaces were washed in situ with 2 X 200 µl of PBS (pH 7.5) and then 2 X 200 µl of distilled water. Care was taken to remove all the liquid before the cell was opened. The samples were removed, and it was apparent that no leakage took place. The wafers were placed shiny side up in 20ml vials, filled with 20ml of distilled water and and swirled at room temperature for one hour. The water was replaced and the process repeated twice more. 1ml of the final washing from one randomly chosen sample (TTU DNDS #2) was saved.

20

25

The wafers were each placed in separate 20ml plastic scintillation vials (Fisher 3-337-11B) which were filled with 20ml of ACS aqueous scintillant (Amersham NACS104). 1ml of the final washing from (TTU DNDS #2) was put into a 20ml plastic scintillation vial and 19ml of scintillant was added. The samples were counted using a Beckman LS 5000TD automated

30

counter using the standard  $^{32}\text{P}$  program.

5     **Day 4** 30  $\mu\text{l}$  aliquots of the material which eluted from the NAP-5 columns the previous day were added to separate 20ml scintillation vials and diluted with 20ml of scintillant fluid. Three scintillation vials were filled with scintillant fluid to be used as blanks. These samples were counted one day after the surfaces were counted, plus or minus 1 hour.

10    50  $\mu\text{l}$  of the material which eluted from the NAP-5 columns were each diluted with 500  $\mu\text{l}$  of millipore water, and their U.V. absorbance at 260 nm was measured using a Beckman DU640 spectrophotometer.

## 15    **Results and Discussion**

TTU (6) was found to be a very practical material for monolayer immobilization of nucleic acids onto hydroxylic surfaces for many reasons.

20

The TTU silane monolayer films were characterized by angle-resolved XPS (ARXPS) which determined the thickness of 50% TTU / 50% octyltrichlorosilane film on silicon substrate before deprotection (see Fig.3, structure 15).

25    Tables 2 and 3 show both the experimental results and a comparison with a 3-layer theoretical model (Andrade, Surface and Interfacial Aspects of Biomedical Polymers, Vol. 1, 1985) which provides values for the film thickness of the hydrocarbon portion of the film (tb), the thickness of the  
30    fluorinated portion (tc), and degree of coverage relating to the fluorinated portion (fc). In order to produce the theoretical modeled values, the mean free path (MFP)  $\lambda$  values of each determined value were estimated to be  $\text{Si}(2p)\lambda_a = 28$ ,

C(1s) $\lambda_b$  = 35, and F(1s) $\lambda_c$  = 44 (Andrade). The thickness of the hydrocarbon portion of the film was found to be 15Å, and the thickness of the fluorinated portion was found to be 1Å in both samples. The degree of coverage was found to be 0.91 and 0.89, which averages to 0.90. From molecular models, the entire length of the TTU molecule was measured at 17.15Å, and the length of octyltrichlorosilane was measured at 8.85Å, therefore, the average thickness of the 50% TTU /50% octyltrichlorosilane film was 13Å. It is clear that the experimentally determined overall film thickness of the silane is 15Å + 1Å = 16Å, which compares well to the ideal value of 13Å, considering that the accuracy of this technique is about  $\pm 2\text{\AA}$ . Since the degree of coverage is 90%, the silane film is very close to the ideal monolayer.

15

The ARXPS results of the TTU silanization system were compared to a commonly used thiol-containing silane, 3-mercaptopropyltrimethoxysilane (MPS). Using a two-layer theoretical model for comparison, it was found that 100% MPS films had an average thickness of 33.5Å and average surface coverage of roughly 0.66. From computer models, the hydrocarbon chain of MPS is only 2.86Å. Therefore, the MPS film is the equivalent of 11 monolayers in thickness. The low coverage value of 66% indicates the MPS film is very porous.

25

By virtue of its trifluoroacetyl-protected thiol group, the immobilized silane can be characterized by X-Ray photoelectron spectroscopy (XPS) before and after deprotection (Fig.3, 15-16). Table 1 shows a comparison of 50% TTU / 50% octyltrichlorosilane film on silicon substrate before and after deprotection. It is readily apparent that 89.2% of the protected thiol groups were effectively deprotected by the hydroxylamine reagent (0.5M, pH 7.5). This

30

reagent and the conditions used were found to be optimal for deprotecting TTU silane films.

5           The oligonucleotide sequences "control-DNA" and "thiol-DNA" were chosen as representative oligonucleotide probes. Analysis of the DMT cation by U.V.-visible spectroscopy at 498 nm showed the stepwise yields for both types of DNA were above 97%, and ion-exchange HPLC revealed  
10 the purified products to be sufficiently pure (about 90%) for immobilization use.

<sup>32</sup>P radiolabelling was used to determine the quantity of immobilized oligonucleotides onto the silane  
15 wafer. Several key factors were incorporated into the experimental design. "Control-DNA" was used to evaluate the amount of DNA "immobilized" by non-specific adsorption. Since "control-DNA" does not contain any disulfide or thioether-forming functional groups, it can only stick to the silane  
20 surfaces through non-covalent physisorption forces such as hydrogen bonding and hydrophobic-hydrophobic interactions. "Thiol-DNA" contains a primary thiol group attached to a short hydrocarbon tether which can react with BMBS or DNDS which will then subsequently react with the thiol groups on  
25 the silanized surfaces through covalent forces. Before radiolabeling the oligonucleotides, the quantity of both types of nucleotides were checked by U.V. absorption, and their concentrations were adjusted so that both were similar. Both 30% TTU /70% octyltrichlorosilane and 100% MPS surfaces  
30 were compared for immobilization yield using the three types of <sup>32</sup>P-labeled DNA generated (control-DNA, DNDS-DNA, and BMBS-DNA) from the same batch. In this way, both the MPS and the TTU surfaces were treated with the same concentration and

radioactivity of labeled DNA products at the same time. The cell used for immobilization ensured that each surface had 0.196 cm<sup>2</sup> of surface area exposed for immobilization, therefore the data collected on all surfaces are comparable.

5

The raw data showing the background number of counts per minute (CPM) is shown in Table 6, and the raw CPM on each wafer is shown in Table 7, with and without background subtraction. The measured concentrations of radiolabelled products in solution are shown in Table 8, the measured CPM / unit volume is shown in Table 9 (with and without time correction), and the calculated CPM / mol DNA is shown in Table 10. The time correction used in Table 9 was necessary since the CPM measurement in solution was performed one day after the CPM from the surfaces was determined, and it was calculated using the formula  $N_{(t)} = N_{(0)} e^{-\lambda t}$  where  $\lambda$  is the decay constant for <sup>32</sup>P (0.0447 d<sup>-1</sup>) and the time was one day.

The final results are tabulated in Table 11, and the general structures of the modified and immobilized nucleic acids are shown in Fig. 4 and 5. It is very clear that the TTU silanized surface can load very high levels of BMBS-oligonucleotides (see Fig. 4, compound 20; and Fig. 5, structure 23) compared to MPS surfaces. In particular, BMBS-DNA was measured at an average of 54.00 pmol/cm<sup>2</sup> on the TTU surfaces, whereas only 13.78 pmol/cm<sup>2</sup> was found on average on the MPS surfaces, an increase of 392%. This is a significant gain considering that the MPS film was found to exist as a very thick multilayer (11 monolayer units) using ARXPS discussed earlier compared to the TTU monolayer. The two systems loaded approximately the same levels of DNDS-DNA (Fig. 4, 22; and Fig. 5, 24) although the exact reason is

unclear. It is apparent that TTU surfaces do not attract as much non-specific adsorption as MPS surfaces (ratio 1:3 of control-DNA) and it is clear that the results from the DNDS-DNA and BMBS-DNA immobilized TTU surfaces are significantly different from the control-DNA sample. The same level of confidence cannot be said of the MPS system, and it is possible that some of the CPM measured on MPS surfaces is due to non-specific adsorption effects. Although it is possible that some non-specific adsorption could be present on DNDS-DNA and BMBS-DNA on TTU surfaces, it is generally believed that as the quantity of immobilized molecules increases, the quantity of non-specific adsorption decreases because the number of available binding sites decreases. The TTU results for DNDS-DNA and BMBS-DNA show improved reproducibility when compared to the MPS results (  $\pm 11.55\%$  and  $\pm 7.24\%$  vs  $\pm 21.34\%$  and  $\pm 38.53\%$  ).

The immobilized BMBS-DNA on TTU surfaces results can be compared to the avidin-biotin immobilization system. Using a thin layer of avidin on a gold surface and subsequent immobilization of  $^{32}\text{P}$  radiolabelled biotinylated DNA (to be published), it was found that  $0.973 \text{ pmol/cm}^2$  of DNA was immobilized. The TTU surfaces therefore immobilize 5550% nucleic acid compared to avidin-biotin method. The reason is that avidin is a large protein (approximately  $100\text{\AA}$  in diameter) with only 4 biotin binding sites. Most of the avidin-coated surface is therefore wasted space, while the TTU silane self-assembles to provide the maximum density of functional groups per unit area with a theoretical spacing of the diameter of one hydrocarbon chain.

The methodology is applicable to silanes and substrates other than TTU (6) and silicon wafers. For



example, the hydrocarbon chain length can be shortened or extended from C2 to C20 in both the protected thiol-containing silane, as well as the silane used for dilution purposes. The diluting silane can terminate in a methyl group  
5 as does octyltrichlorosilane, or it could terminate in a wide variety of functionalities such as alcohol, amine, ammonium, carboxylic or sulfonic acid to provide the silane film with a range of chemical functionalities. The silanization system discussed can be applied to a wide range of substrates which  
10 are hydroxyl-bearing in nature; for example, silicas such as oxidized silicon, quartz, and glasses, ceramics, metal oxide surfaces such as aluminum, chromium, steels, tin oxide, palladium and platinum to name a few. The hydration protocol described is also applicable to these surfaces as well.

15

The new linker BMBS (10) is also useful for immobilizing oligonucleotides to substrates without attachment through any silane. The benzylbromide functionality of BMBS will react with a wide variety of  
20 nucleophiles on functionalized polymers such as polystyrene/divinyl benzene, polyacrylamide, carbohydrate polymers such as celluloses, dextroses, sepharoses, modified polyethylene, and polytetrafluoroethylene. BMBS can be used as a homobifunctional reagent for the attachment of many  
25 types of biomolecules in general to other biomolecules such as proteins, antibodies and oligonucleotides, and for attachment of biomolecules to many types of substrates as discussed earlier.

30

The thiol containing tether attached to the solid phase oligonucleotide synthesis column is commercially available, however other types of thiol tethers could be used for this purpose. The tether can consist of 2-50 units in

length, which may be composed of either hydrocarbon or polyether functionality. The tether need not be an integral part of the solid phase oligonucleotide synthesis column, but can also be a reagent used in solution such as a  
5 phosphoramidite, or a modified nucleotide triphosphate which can be enzymatically attached to the nucleic acid. The prepared reagent DNDS (21) can be used to convert the thiol-tethered oligonucleotide to a reactive disulfide-forming oligonucleotide, or could be used to convert other  
10 biomolecules to their pyridyldisulfides for use in biomolecule conjugation reactions, or for immobilization purposes.

Table 1 Angle-Resolved XPS of 50% TTU, 50% C8 on Silicon,  
(Protected)  
3-Layer Model, Sample #1

Take-Off Angle ( $\theta$ ) Ratio	XPS Elements	Exp. Ratio	Fit Ratio
20	F1s / C1s	0.103	0.109
	C1s / Si2p	2.617	2.734
	F1s / Si2p	0.269	0.299
30	F1s / C1s	0.117	0.092
	C1s / Si2p	1.858	1.641
	F1s / Si2p	0.217	0.151
45	F1s / C1s	0.122	0.082
	C1s / Si2p	1.261	1.058
	F1s / Si2p	0.154	0.087
90	F1s / C1s	0.156	0.075
	C1s / Si2p	0.708	0.699
	F1s / Si2p	0.110	0.053
Variables: $\lambda_a = 28, \lambda_b = 35, \lambda_c = 44, \quad t_b = 15\text{\AA}, \quad t_c = 1\text{\AA}, \quad f_c = 0.91$			

Table 2 Angle-Resolved XPS of 50% TTU, 50% C8 on Silicon,  
(Protected)  
3-Layer Model, Sample #2

Take-Off Angle ( $\theta$ )	XPS Elements	Exp. Ratio	Fit Ratio
20	F1s / C1s	0.098	0.107
	C1s / Si2p	2.663	2.660
	F1s / Si2p	0.262	0.284
30	F1s / C1s	0.097	0.090
	C1s / Si2p	1.972	1.629
	F1s / Si2p	0.191	0.146
45	F1s / C1s	0.081	0.080
	C1s / Si2p	1.342	1.062
	F1s / Si2p	0.109	0.085
90	F1s / C1s	0.104	0.074
	C1s / Si2p	0.828	0.706
	F1s / Si2p	0.086	0.052

Variables:  $\lambda_a = 28$ ,  $\lambda_b = 35$ ,  $\lambda_c = 44$ ,  $t_b = 15\text{\AA}$ ,  $t_c = 1\text{\AA}$ ,  $f_c = 0.89$

Table 3 Angle-Resolved XPS of 100% MPS on Silicon, 2-Layer Model, Sample #1

Take-Off Angle ( $\theta$ )	XPS Elements	Exp. Ratio	Fit Ratio
20	C1s / Si2p	2.75	2.053
30	C1s / Si2p	1.93	1.675
45	C1s / Si2p	1.33	1.266
90	C1s / Si2p	0.90	0.902
Variables: $\lambda_a = 28,$ $\lambda_b = 35,$ $t_a = 33\text{\AA},$ $f_a = 0.65$			

Table 4 Angle-Resolved XPS of 100% MPS on Silicon, 2-Layer Model, Sample #2

Take-Off Angle ( $\theta$ )	XPS Elements	Exp. Ratio	Fit Ratio
20	C1s / Si2p	2.60	2.164
30	C1s / Si2p	2.03	1.770
45	C1s / Si2p	1.19	1.344
90	C1s / Si2p	0.85	0.957
Variables: $\lambda_a = 28,$ $\lambda_b = 35,$ $t_a = 34\text{\AA},$ $f_a = 0.66$			

Table 5      XPS of 50% TTU Surfaces on Silicon, Before and After NH<sub>2</sub>OH Deprotection

Sample Description	XPS Elements	Exp. Ratio	Rel. Error%	<u>deprotect</u> <u>Protect</u>
<i>Blank Silicon</i>				
A) Blank #1	F1s / Cls	0.00		
Blank #2	F1s / Cls	0.00		
<i>Before Deprotection</i>				
B) 50% TTU surface #1	F1s / Cls	0.140		
50% TTU surface #2	F1s / Cls	0.100		
average	F1s / Cls	0.120	± 16.7%	
<i>After Deprotection</i>				
C) 50% TTU surface #1	F1s / Cls	0.015		
50% TTU surface #2	F1s / Cls	0.012		
average	F1s / Cls	0.013	± 7.7%	
		$\frac{0.013}{0.120} \times 100\% = 89.2\%$		

Table 6      CPM Background

<u>Sample</u>	<u>CPM</u>	<u>2sig</u>
blank 1	11.00	± 6.63
blank 2	12.00	± 6.93
blank 3	17.00	± 8.25
blank <sub>avg</sub>	13.33	± 12.65

Table 7      Surface-Immobilized DNA CPM with and without Background Subtraction

<u>Sample</u>	<u>Raw CPM</u>	<u>Background Subtracted</u>	<u>Rel. Error %</u>
TTU control 1	1122 ± 67	1109 ± 68	± 6.15%
TTU control 2	755 ± 55	742 ± 5	± 7.60%
TTU DNDS 1	4237 ± 130	4224 ± 131	± 3.09%
TTU DNDS 2	3358 ± 116	3345 ± 117	± 3.48%
TTU BMBS 1	7725 ± 176	7549 ± 177	± 2.34%
TTU BMBS 2	6546 ± 162	6533 ± 162	± 2.48%
MPS control 1	2496 ± 100	2483 ± 101	± 4.05%
MPS control 2	3281 ± 115	3268 ± 115	± 3.53%
MPS DNDS 1	3204 ± 113	3191 ± 114	± 3.57%
MPS DNDS 2	4932 ± 141	4919 ± 141	± 2.87%
MPS BMBS 1	1117 ± 67	1104 ± 68	± 6.16%
MPS BMBS 2	2501 ± 100	2488 ± 101	± 4.05%

Table 8      Concentration of Radiolabelled DNA for Immobilization

<u>Sample</u>	<u>Abs<sub>260nm</sub></u>	<u>pathlength</u>	<u>molar absorptivity</u>	<u>concentration</u>
control	0.1063	0.2 cm	136300 cm <sup>-1</sup> x mol <sup>-1</sup> x l	4.29 x 10 <sup>-11</sup> mol / µl
DNDS	0.0852	0.2 cm	136300 cm <sup>-1</sup> x mol <sup>-1</sup> x l	3.44 x 10 <sup>-11</sup> mol / µl
BMBS	0.0958	0.2 cm	136300 cm <sup>-1</sup> x mol <sup>-1</sup> x l	3.87 x 10 <sup>-11</sup> mol / µl

Table 9      Scintillation of Radiolabelled DNA Derivatives in Solution with Time Correction

<u>Sample</u>	<u>CPM (June20)/30µl</u>	<u>CPM (June20)/µl</u>	<u>Rel. Error %</u>	<u>CPM (June19)/µl</u>
control	2646540 ± 14556	88218 ± 486	± 1.55%	92276 ± 1.55%
DNDS	1310340 ± 10221	43678 ± 341	± 1.78%	45687 ± 1.78%
BMBS	737400 ± 7669	24580 ± 256	± 2.04%	25711 ± 2.04%

<u>Table 10</u>	<u>Radioactivity / mol DNA</u>
<u>Sample</u>	<u>CPM / mol</u>
control	$2.15 \times 10^{15}$ cpm / mol DNA $\pm 2.45\%$
DNDS	$1.33 \times 10^{15}$ cpm / mol DNA $\pm 2.95\%$
BMBS	$0.665 \times 10^{15}$ cpm / mol DNA $\pm 3.08\%$



-54-

Table 11 Surface Immobilization of DNA on TTU and MPS Surfaces

Sample	mol_DNA	Mol_DNA/cm2	avg_mol/cm2	sample_var.	ratio
TTU control 1	0.515 x 10 <sup>-12</sup> ± 8.60%	2.63 x 10 <sup>-12</sup> ± 8.60%	2.19 x 10 <sup>-12</sup>	± 20.1%	1
TTU control 2	0.344 x 10 <sup>-12</sup> ± 10.05%	1.75 x 10 <sup>-12</sup> ± 11.05%			
TTU DNDS 1	3.18x 10 <sup>-12</sup> ± 6.04%	16.2 x 10 <sup>-12</sup> ± 7.04%	14.5 x 10 <sup>-12</sup>	± 11.6%	6.6
TTU DNDS 2	2.52 x 10 <sup>-12</sup> ± 6.43%	12.9 x 10 <sup>-12</sup> ± 7.43%			
TTU BMBS 1	11.4 x 10 <sup>-12</sup> ± 5.42%	57.9 x 10 <sup>-12</sup> ± 6.42%	54.0 x 10 <sup>-12</sup>	± 7.2%	24.7
TTU BMBS 2	9.82 x 10 <sup>-12</sup> ± 5.56%	50.1 x 10 <sup>-12</sup> ± 6.56%			
MPS control 1	1.15 x 10 <sup>-12</sup> ± 6.50%	5.87 x 10 <sup>-12</sup> ± 7.50%	6.82 x 10 <sup>-12</sup>	± 13.8%	3.1
MPS control 2	1.52 x 10 <sup>-12</sup> ± 5.98%	7.76 x 10 <sup>-12</sup> ± 6.98%			
MPS DNDS 1	2.40 x 10 <sup>-12</sup> ± 6.52%	12.2 x 10 <sup>-12</sup> ± 7.52%	15.6 x 10 <sup>-12</sup>	± 21.3%	7.1
MPS DNDS 2	3.70 x 10 <sup>-12</sup> ± 5.82%	18.9 x 10 <sup>-12</sup> ± 6.82%			
MPS DNDS 1	1.66 x 10 <sup>-12</sup> ± 9.24%	8.47 x 10 <sup>-12</sup> ± 10.24%	13.8 x 10 <sup>-12</sup>	± 38.5%	6.3
MPS DNDS 2	3.74 x 10 <sup>-12</sup> ± 7.13%	19.1 x 10 <sup>-12</sup> ± 6.82%			

## CLAIMS:

1. A coated support comprising a solid substrate having a surface and a monolayer of alkylsilane groups chemically bound to said surface, said alkylsilane groups being cross-linked to one another, and having distal reactive chemical groups, the alkylsilane groups being bonded to the surface at a density of at least 14 picamoles per square centimeter of area of said surface.

2. The support of claim 1 wherein the alkylsilane groups have from 2-20 carbon atoms in the alkyl chain.

3. The support of claim 1 or claim 2 wherein the alkylsilane groups have from 8-18 carbon atoms in the alkyl chain.

4. The support of any preceding claim wherein the distal reactive chemical group is an optionally protected thiol group.

5. The support of claim 5 wherein the distal reactive chemical group is -S-CO-CX, wherein X is halo.

6. The support of claim 5 wherein X is fluorine.

7. The support of any preceding claim wherein the substrate is silicon, metal, silicon oxide or metal oxide.

8. The support of any preceding claim wherein the alkylsilane groups are bonded to the substrate surface through Si-O- groups, and are cross-linked to one other through

the same Si-atoms.

9. The support of any preceding claim where the alkylsilane groups are bonded to the surface at a density of from 14.5-60 picamoles per square centimeter of surface area.

10. The support of any preceding claim comprising at least two different alkylsilane groups bound to the surface, the two alkylsilane groups being of different alkyl group chain length.

11. A coated support comprising:  
a solid substrate;  
a monolayer forming compound containing a functionality which bonds covalently to the support;  
a tether covalently attached to the monolayer forming compound, and containing a spacer group;  
a receptor molecule capable of recognizing and bonding to the other molecules, and chemically attached to the tether.

12. The coated support of claim 11, wherein the solid support is selected from the group consisting of metals, metal oxide composites, silicas, quartz, glasses, silicon-based semiconductors, ceramics, electrophoresis membranes, filter membranes, and natural or synthetic polymers having, prior to the linkage with the spacer group, hydroxyl groups or other functional groups that can be converted into hydroxyl groups.

13. The coated support of claim 11 for use in nucleic acid separation, purification, isolation, synthesis, amplification, diagnostic or detection applications.

14. The coated support of claim 11, wherein the monolayer forming compound is polymerizable trichlorosilane with an alkyl chain containing from 2 to 20 carbon atoms, and a terminal functionality.

15. The coated support of claim 14, wherein the terminal functionality is a thiol group protected by a protective group.

16. The coated support of claim 15, wherein the protective group is a trifluoroacetyl group.

17. The coated support of claim 14, wherein at least two monolayer forming compounds are used to create a multifunctionalized support.

18. The coated support of claim 11, wherein the receptor molecule is a biomolecule.

10. The coated support of Claim 9, wherein the biomolecule is an oligonucleotide.
11. The coated support of Claim 10, wherein the tether attached to the oligonucleotide is an alkyl chain consisting of from 2 to 20 carbon atoms, and terminates in a thiol functionality.
12. The coated support of Claim 10, wherein the tether attached to the oligonucleotide is a polyether chain of from 2 to 20 atoms, and terminates in a thiol functionality.
13. The coated support of Claim 11, wherein the tether is a phosphoramidite reagent.
14. The coated support of Claim 12, wherein the tether is a phosphoramidite reagent.
15. The coated support of Claim 11, wherein the tether is covalently bound to a nucleoside triphosphate and is enzymatically attached to the oligonucleotide.
16. The coated support of Claim 12, wherein the tether is covalently bound to a nucleosidetriphosphate and is enzymatically attached to the oligonucleotide.
17. The coated support of Claim 1, wherein the receptor molecule is an enzyme.
18. The coated support of Claim 1, wherein the receptor molecule is an antibody.
19. The coated support of Claim 1, wherein the receptor molecule is an antigen.
20. The coated support of Claim 1, wherein the receptor molecule is a nucleic acid binding protein.
21. The coated support of Claim 5, wherein the thiol group has been converted to a pyridyldisulfide group.
22. A novel compound, namely 1-(Thiotrifluoroacetato)-11-(trichlorosilyl)-undecane.
23. The coated support of Claim 1, wherein the monolayer forming compound is 1-(Thiotrifluoroacetato)-11-(trichlorosilyl)-undecane.
24. A novel compound, namely water soluble bis(bromomethyl) benzene sulfonate.
25. A method of preparing a coated support comprising:  
selecting a solid support;  
humidifying the solid support;

creating on the solid support a monolayer of a compound containing a functionality which bonds to the solid support;

selecting a receptor molecule capable of recognizing and bonding to other molecules;

attaching a tether to the receptor molecule containing a spacer group;

using a bifunctional reagent to covalently attach the tethered receptor molecule to the functionalized monolayer compound by a chemoselectively reversible bond.

26. The method of Claim 25, wherein the solid support is humidified in a humidification chamber.
27. The method of Claim 25, wherein the monolayer forming compound contains a terminal functionality distant from the functionality which bonds to the solid support.
28. The method of Claim 27, wherein the terminal functionality is a thiol group protected by a trifluoroacetyl protective group.
29. The method of Claim 28, wherein the protective group is removed using aqueous hydroxylamine reagent following creation of the monolayer.
30. The method of Claim 25, wherein the tether is attached to the solid support prior to use of the bifunctional reagent [i.e. solid phase oligonucleotide synthesis].
31. The method of Claim 25, wherein the tether is covalently bound to a nucleosidetriphosphate and is enzymatically attached to an oligonucleotide.
32. The method of Claim 31, wherein the bifunctional reagent attaches the tethered oligonucleotide to the functionalized support.
33. The method of Claim 25, wherein the bifunctional reagent contains halobenzyl functional groups.
34. The method of Claim 32, wherein the bifunctional reagent contains holobenzyl functional groups.
35. The method of Claim 32, wherein the biofunctional reagent has been rendered water soluble.
36. The method of Claim 32, wherein the biofunctional reagent has been rendered water soluble by means of sulfonation.

37. The method of Claim 25, wherein the chemoselectively reversible bond is a disulfide bond.
38. The method of Claim 25, wherein the bifunctional reagent is water soluble bis(bromomethyl)benzene sulfonate.
39. The method of Claim 37, further comprising use of a reagent to cleave the disulfide bond and to release nucleic acid.
40. The method of Claim 39, wherein the reagent is dithiothreitol.

1/5




Fig. 1 A




Fig 1B



## Humidification of Substrate





Fig. 2

3/5

## A) Silanization of Substrate With TTU



## B) Deprotection After Silanization






Fig. 3

## Oligonucleotide-tether-linker coupling schemes

## A) Attachment of Thiol tether to Oligonucleotide



## B) Coupling of BMBS to Oligonucleotide-Thiol Tether Complex



## C) Addition of Pyridylsulfide Group to Oligonucleotide-Thiol Tether Complex Via DNDS





Fig. 4

## Coupling of Oligonucleotide-Tether-Linker Complex to Solid Substrates

## A) Permanent Thioether Bond Formation



## B) Chemoselectively Reversible Disulfide Bond




Fig. 5



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>C07H 21/00, B32B 17/00, C03C 17/30</b>	<b>A3</b>	<b>(11) International Publication Number:</b> <b>WO 99/20640</b> <b>(43) International Publication Date:</b> 29 April 1999 (29.04.99)
<b>(21) International Application Number:</b> PCT/CA98/00969 <b>(22) International Filing Date:</b> 16 October 1998 (16.10.98) <b>(30) Priority Data:</b> 08/951,448      16 October 1997 (16.10.97)      US <b>(71) Applicant:</b> SENSORCHEM INTERNATIONAL CORPORATION [CA/CA]; Suite 4400, 40 King Street West, Toronto, Ontario M5H 3Y4 (CA). <b>(72) Inventors:</b> THOMPSON, Michael; 182 Moore Avenue, Toronto, Ontario M4T 1V8 (CA). McGOVERN, Mark, E.; 25 Clearside Place, Etobicoke, Ontario M9R 2G7 (CA). <b>(74) Agents:</b> HIRONS, Robert, G. et al.; Ridout & Maybee, 18th floor, 150 Metcalfe Street, Ottawa, Ontario K2P 1P1 (CA).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>  <b>(88) Date of publication of the international search report:</b> 16 September 1999 (16.09.99)
<b>(54) Title:</b> HIGH SURFACE DENSITY COVALENT IMMOBILIZATION OF OLIGONUCLEOTIDE MONOLAYERS  <b>(57) Abstract</b>  <p>Oligonucleotides and other biomolecules are immobilized in high density on solid substrates through covalent forces using either a permanent thioether bond, or a chemoselectively reversible disulfide bond to a surface thiol. Substrates which have hydroxyl groups on their surfaces can be first silanized with a trichlorosilane containing 2–20 carbon atoms in its hydrocarbon backbone, terminating in a protected thiol group. The oligonucleotides or other biomolecules are first connected to a tether consisting of a hydrocarbon or polyether chain of 2–20 units in length which terminates in a thiol group. This thiol may be further modified with a halobenzylic-bifunctional water soluble reagent which allows the conjugate to be immobilized onto the surface thiol group by a permanent thioether bond. Alternatively, the oligonucleotide-tether-thiol group can be converted to a pyridyldisulfide functionality which attaches to the surface thiol by a chemoselectively reversible disulfide bond. The permanently bound oligonucleotides are immobilized in high density compared to other types of thiol functionalized silane surface and to the avidin-biotin method.</p>		

*FOR THE PURPOSES OF INFORMATION ONLY*

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

# INTERNATIONAL SEARCH REPORT

In ternational Application No

PCT/CA 98/00969

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C07H21/00 B32B17/00 C03C17/30

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07H B32B C03C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>WO 83 02669 A (FOERSVARETS FORSKNINGSANSTALT)</p> <p>4 August 1983 (1983-08-04)</p> <p>page 2, line 28 - page 6, line 35</p> <p style="text-align: center;">--- -/--</p>	1, 11, 25



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

27 July 1999

Date of mailing of the international search report

04/08/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Scott, J

# INTERNATIONAL SEARCH REPORT

In ational Application No

PCT/CA 98/00969

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>NAKAGAWA T ET AL: "NEW METHOD FOR FABRICATING A MIXED MONOLAYER USING SELF-ASSEMBLY OF TRICHLOROSILANES AND MAPPING OF DIFFERENT MOLECULES IN THE MIXED MONOLAYER USING A FRICTIONAL FORCE MICROSCOPY WITH A TIP CHEMICALLY MODIFIED WITH FLUOROALKYLTRICHLOROSILANES FOR CHEMICAL SENSING"</p> <p>JAPANESE JOURNAL OF APPLIED PHYSICS, vol. 36, no. 8, PART 01, 1 August 1997 (1997-08-01), pages 5226-5232, XP000749045 ISSN: 0021-4922 the whole document</p> <p style="text-align: center;">---</p>	1,11,25
A	<p>N.BALACHANDER ET AL.: "Monolayer Transformation by Nucleophilic Substitution : Applications to the Creation of New Monolayer Assemblies."</p> <p>LANGMUIR, vol. 6, no. 11, November 1990 (1990-11), pages 1621-7, XP002109601 the whole document, but especially the abstract; page 1621, column 2; page 1622, undecenyl mesylate; page 1623, 1-thioacetato-16-(trichlorosilyl) hexadecane; page 1624, figure 1</p> <p style="text-align: center;">---</p>	1,11,25
A	<p>M.E.MONTGOMERY ET AL.: "Orientational Dynamics of a Hydrophobic Guest in a Chromatographic Stationary Phase : Effect of Wetting by Alcohol."</p> <p>ANALYTICAL CHEMISTRY, vol. 64, 1992, pages 1170-5, XP002109602 column 1</p> <p style="text-align: center;">---</p>	1,11,25
A	<p>J.LÖBAU ET AL.: "Adsorption of Alkyl-trichlorosilanes on Glass and Silicon : a Comparative Study Using Sum-Frequency Spectroscopy and XPS."</p> <p>THIN SOLID FILMS, vol. 289, 1996, pages 272-81, XP002109603 page 272</p> <p style="text-align: center;">---</p>	1,11,25
A	<p>R.BANGA ET AL.: "In-Situ FTIR Studies of the Kinetics and Self-Assembly of Alkyl and Perfluoroalkyl Trichlorosilanes on Silicon."</p> <p>THIN SOLID FILMS, vol. 284-5, 1996, pages 261-6, XP002109604 page 261</p> <p style="text-align: center;">-----</p>	1,11,25



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/CA 98/ 00969

### Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.: 1-18, 10-40  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
see further information sheet
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

### Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

#### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

## INTERNATIONAL SEARCH REPORT

International Application No. PCT/ CA 98/00969

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Claims : 1-18 and 10-40 (all in part)

There are two distinct sets of claims presently on file, 1-18 and 10-40. Both sets have been taken into account for the search.

Present claims relate to a coated support for use in attaching biomolecules defined by reference to a desirable property, namely that the alkylsilane groups are bonded to the surface in a density of at least 14 picamoles per square centimetre of area of said surface. The claims cover any support with any alkylsilane monolayer coating with any distal group, for use in attaching molecules to the said support, whereas the description provides support within the meaning of Art. 6 PCT and disclosure within the meaning of Art. 5 PCT for only a very limited number of such products. In the present case, the claims so lack support, and the application so lacks disclosure that a meaningful search over the whole of the claimed scope is impossible. Consequently the search has been carried out for those parts of the claims which appear to be clear, supported and disclosed, namely those parts relating to supports functionalised by a 1-(Thiotrifluoroacetato)-11-(trichlorosilyl)-undecane (TTU) monolayer as detailed in the examples, and the attachment of nucleoside, oligonucleotides and nucleic acids thereto.

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

## INTERNATIONAL SEARCH REPORT

International Application No. PCT/CA 98 00969

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: -1-18 and 10-40 (all in part)

There are two distinct sets of claims presently on file 1-18 and 10-40. Both sets have been taken into account for the search.

Present claims relate to a coated support for use in attaching biomolecules defined by reference to a desirable property, namely that the alkylsilane groups are bonded to the surface in a density of at least 14 picamoles per square centimetre of area of said surface. The claims cover any support with any alkylsilane monolayer coating with any distal group, for use in attaching any molecule to the said support, whereas the description provides support within the meaning of Article 6 PCT and disclosure within the meaning of Article 5 PCT for only a very limited number of such products. In the present case, the claims so lack support, and the application so lacks disclosure that a meaningful search over the whole of the claimed scope is impossible. Consequently the search has been carried out for those parts of the claims which appear to be clear, supported and disclosed, namely those parts relating to supports functionalised by a 1-(thiotrifluoroacetato)-11-(trichlorosilyl)-undecane (TTU) monolayer as detailed in the examples, and the attachment of nucleotides, oligonucleotides and nucleic acids thereto.

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/CA 98/00969

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 8302669 A	04-08-1983	EP 0099395 A	01-02-1984
		JP 5067910 B	27-09-1993
		JP 59500285 T	23-02-1984
		SE 8200442 A	28-07-1983
		US 4833093 A	23-05-1989
-----			